



FPN 10-2.000 pumpskid



Deutz TCD 3.6 TIER4F engine

Engine speed: 1939 rpm
 Power: 103 kW/510 Nm
 Emission: Tier 4F/Tier 5 Ready
 Ad Blue tank: Deutz, 10 Liter
 Fuel tank: Aluminium, 120 Liter

Ziegler pump FPN 10-2000

Pump: 2000 L/min bij 10 Bar
 Trokomat
 Suction inlet: 1 x DN100
 Outlets 4 x 3" backside

Ziegler Z-control

Control unit Ziegler Z-Control 55cm
 All control elements are integrated
 Pressure gauge and mano-vacuummeter
 Start button
 Throttle buttons (controls electronically)
 Control panel with bright LED lighting

Specifications

LxWxH: 2360x2100x2250 mm
 Weight: 1600 kg

FPN 10-3.000 pumpskid



Deutz TCD 4.1 TIER4F engine

Engine speed: 1795 rpm
 Power: 115 kW/480 Nm
 Emission: Tier 4F/Tier 5 Ready
 Ad Blue tank: Deutz, 10 liter
 Fuel tank: Aluminium, 120 Liter

Ziegler pump FPN 10-3000

Pump: 3000 L/min bij 10 Bar
 Trokomat
 Suction inlet: 1 x DN125
 Outlets 4 x 3" backside

Ziegler Z-control


Control unit Ziegler Z-Control 55cm
 All control elements are integrated
 Pressure gauge and mano-vacuummeter
 Start button
 Throttle buttons (controls electronically)
 Control panel with bright LED lighting

Specifications

LxWxH: 2580x2100x2250 mm
 Weight: 1700 kg


Optional platformtrailer

Johta platformtrailer ZP 2529
 GVW: 2500 kg
 195/70 R 14 tires
 24V, ECE R48



Optional platformtrailer

Johta platformtrailer ZP 2529
 GVW: 2500 kg
 195/70 R 14 tires
 24V, ECE R48





FPN 10-4.000 pumpskid



Deutz TCD 6.1 TIER4F engine

Engine speed: 1900 rpm
 Power: 175 kW/890 Nm
 Emission: Tier 4F/Tier 5 Ready
 Ad Blue tank: Deutz, 20 Liter
 Fuel tank: Aluminium, 250 Liter

Ziegler pump FPN 10-4000

Pump: 4000 L/min bij 10 Bar
 Trokomat
 Suction inlet: 2 x DN100
 Outlets: 6 x 3" , 3 x le + 3 x ri

Ziegler Z-control

Control unit Ziegler Z-Control 55cm
 All control elements are integrated
 Pressure gauge and mano-vacuummeter
 Start button
 Throttle buttons (controls electronically)
 Control panel with bright LED lighting

Specifications

LxWxH: 3040x2260x2250 mm
 Weight: 2200 kg

FPN 10-6.000 pumpskid



Deutz TCD 7.8 TIER4F engine

Engine speed: 2200 rpm
 Power: 260 kW/1095 Nm
 Emission: Tier 4F/Tier 5 Ready
 Ad Blue tank: Deutz, 20 Liter
 Fuel tank: Aluminium, 250 Liter

Ziegler pump FPN 10-6000

Pump: 6000 L/min bij 10 Bar
 Trokomat
 Suction inlet: 2 x DN125
 Outlets: 6 x 3" , 3 x left & 3 x right

Ziegler Z-control


Control unit Ziegler Z-Control 55cm
 All control elements are integrated
 Pressure gauge and mano-vacuummeter
 Start button
 Throttle buttons (controls electronically)
 Control panel with bright LED lighting

Specifications

LxWxH: 3040x2260x2250 mm
 Weight: 2600 kg


Optional platformtrailer

Johta platformtrailer ZP 3034
 GVW: 3000 kg
 195 R 14C tires
 24V, ECE R48



Optional platformtrailer

Johta platformtrailer ZP 3534
 GVW: 3500 kg
 195 R 14C tires
 24V, ECE R48





FPN 10-8.000 pumpskid



Deutz TCD 12.0 TIER4F engine

Engine speed: 1689 rpm
 Power: 345 kW/1985 Nm
 Emission: Tier 4F
 Ad Blue tank: Deutz, 32 Liter
 Fuel tank: Aluminium, 365 Liter

Ziegler pump FPN 10-8000

Pump: 8000 L/min bij 10 Bar
 Trokomat
 Suction inlet: 3 x DN150 Storz F
 Outlets 8 x 3" , 4x left & 4x right

Ziegler Z-control


Control unit Ziegler Z-Control 55cm
 All control elements are integrated
 Pressure gauge and mano-vacuummeter
 Start button
 Throttle buttons (controls electronically)
 Control panel with bright LED lighting

Specifications

LxWxH: 3190x2472x2250 mm
 Weight: 3100 kg

Optional platformtrailer

Johta platformtrailer ZP 5045
 GVW: 5000 kg
 205/65 R 17,5 tires
 24V, ECE R48



FPN 10-10.000 pumpskid



Deutz TCD 12.0 TIER4F engine

Engine speed: 2032 rpm
 Power: 375 kW/1850 Nm
 Emission: Tier 4F
 Ad Blue tank: Deutz, 32 Liter
 Fuel tank: Aluminium, 365 Liter

Ziegler pump FPN 10-10.000

Pump: 10000 L/min bij 10 Bar
 Trokomat
 Suction inlet: 3 x DN150 Storz F
 Outlets 8 x 3" , 4x left & 4x right

Ziegler Z-control

Control unit Ziegler Z-Control 55cm
 All control elements are integrated
 Pressure gauge and mano-vacuummeter
 Start button
 Throttle buttons (controls electronically)
 Control panel with bright LED lighting

Specifications

LxWxH: 3190x2472x2250 mm
 Weight: 3100 kg

Optional platformtrailer

Johta platformtrailer ZP 5045
 GVW: 5000 kg
 205/65 R 17,5 tires
 24V, ECE R48

